

# Author Index

- Abebe, G., see Knowles, G., 25
- Affranchino, J.L., Ibañez, C.F., Luquetti, A.O., Rassi, A., Reyes, M.B., Macina, R.A., Åslund, L., Pettersson, U. and Frasc, A.C.C.  
Identification of a *Trypanosoma cruzi* antigen that is shed during the acute phase of Chagas' disease, 221
- Agabian, N., see Barnes, D.A., 135
- Alvar, J., see Van Eys, G.J.J.M., 53
- Ambrosio, R.E., see Posnett, E.S., 75
- Anders, R.F., see Sheppard, M., 45
- Araujo, F.G., see Prince, J.B., 3
- Åslund, L., see Affranchino, J.L., 221
- Avivi, A., see Ram, D., 167
- Barnes, D.A., Mottram, J., Selkirk, M. and Agabian, N.  
Two variant surface glycoprotein genes distinguish between different substrains of *Trypanosoma brucei gambiense*, 135
- Beaven, G.H., see Rangachari, K., 63
- Beecroft, R.P., see Roditi, I., 35
- Beverley, S.M., see Iovannisci, D.M., 177
- Bianco, A.E., see Bradley, J.E., 197
- Black, S.J., see Knowles, G., 25
- Boothroyd, J.C., see Prince, J.B., 3
- Bradley, J.E., Gregory, W.F., Bianco, A.E. and Maizels, R.M.  
Biochemical and immunochemical characterisation of a 20-kilodalton complex of surface-associated antigens from adult *Onchocerca gutturosa* filarial nematodes, 197
- Brindley, P.J., Strand, M., Norden, A.P. and Sher, A.  
Role of host antibody in the chemotherapeutic action of praziquantel against *Schistosoma mansoni*: identification of target antigens, 99
- Brown, D., see Shiels, B., 209
- Burg, J.L., see Prince, J.B., 3
- Chang, K.-P., see Katakura, K., 189
- Christopherson, R.I., see Gero, A.M., 87
- Clark, C.G., Cross, G.A.M. and De Jonckheere, J.F.  
Evaluation of evolutionary divergence in the genus *Nae-gleria* by analysis of ribosomal DNA plasmid restriction patterns, 281
- Clark, J.T., see Fenton, B., 79
- Clough, B., see Rangachari, K., 63
- Crampton, J., see Ellis, J., 261
- Cross, G.A.M., see Clark, C.G., 281
- Cruz, F.S., see Gadelha, F.R., 117
- De Jonckheere, J.F., see Clark, C.G., 281
- De Souza, W., see Gadelha, F.R., 117
- Dluzewski, A.R., see Rangachari, K., 63
- Dobbelaere, D., see Roditi, I., 35
- Dobbelaere, D.A.E., see Gerhards, J., 15
- Docampo, R., see Gadelha, F.R., 117
- Eckerskorn, C., see Heidrich, H.-G., 147
- Ehrefeld, A.Y.B., see Gerhards, J., 15
- Ellis, J., Knapp, T. and Crampton, J.  
Cloning of a polymorphic DNA fragment from the genome of *Leishmania donovani*, 261
- Esquenazi, D., Morel, C.M. and Traub-Cseko, Y.M.  
Characterization of tubulin genes in *Trypanosoma rangeli*, 253
- Evans, D.A., see Van Eys, G.J.J.M., 53
- Fenton, B., Clark, J.T., Wilson, C.F., McBride, J.S. and Walliker, D.  
Polymorphism of a 35-49 kDa *Plasmodium falciparum* merozoite surface antigen, 79
- Frasc, A.C.C., see Affranchino, J.L., 221
- Gadelha, F.R., Moreno, S.N.J., De Souza, W., Cruz, F.S. and Docampo, R.  
The mitochondrion of *Trypanosoma cruzi* is a target of crystal violet toxicity, 117
- Galindo, I. and Ramírez Ochoa, J.L.  
Study of *Leishmania mexicana* electrokaryotype by clamped homogeneous electric field electrophoresis, 245
- Gerhards, J., Gill, A.C., Ehrefeld, A.Y.B., Dobbelaere, D.A.E. and Williams, R.O.  
Isolation and characterization of RNA from the intracellular parasite *Theileria parva*, 15
- Gero, A.M., Scott, H.V., O'Sullivan, W.J. and Christopher-son, R.I.  
Antimalarial action of nitrobenzylthioinosine in combination with purine nucleoside antimetabolites, 87
- Gill, A.C., see Gerhards, J., 15
- Glascodine, J., see Shiels, B., 209
- Gratzer, W.B., see Rangachari, K., 63
- Gregory, W.F., see Bradley, J.E., 197
- Grossman, Z., see Ram, D., 167
- Gwo-Shu Lee, M. and Van der Ploeg, L.H.T.  
Colonies of procyclic *Trypanosoma brucei* on semi-solid agarose plates (*Short Communication*), 193
- Hall, R., see Shiels, B., 209
- Harrison, C., see Shiels, B., 209
- Harun, S., see Sim, B.K.L., 127
- Heidrich, H.-G., Miettinen-Baumann, A., Eckerskorn, C. and Lottspeich, F.  
The N-terminal amino acid sequences of the *Plasmodium falciparum* (FCB1) merozoite surface antigens of 42 and 36 kilodalton, both derived from the 185-195 kilodalton precursor, 147
- Hughes, D.E., Shonekan, O.A. and Simpson, L.  
Structure, genomic organization and transcription of the bi-functional dihydrofolate reductase-thymidylate synthase gene from *Crithidia fasciculata*, 155
- Ibañez, C.F., see Affranchino, J.L., 221
- Iovannisci, D.M. and Beverley, S.M.  
Structural alterations of chromosome 2 in *Leishmania major* as evidence for diploidy, including spontaneous amplification of the mini-exon array, 177
- Katakura, K. and Chang, K.-P.  
H DNA amplification in *Leishmania* resistant to both arsenite and methotrexate (*Short Communication*), 189
- Kemp, D.J., see Sheppard, M., 45

- Kiatfuengfoo, R., Suthiphongchai, T., Prapunwattana, P. and Yuthavong, Y.  
Mitochondria as the site of action of tetracycline on *Plasmodium falciparum*, 109
- Knapp, T., see Ellis, J., 261
- Knowles, G., Abebe, G. and Black, S.J.  
Detection of parasite peptidase in the plasma of heifers infected with *Trypanosoma congolense*, 25
- Kusel, J.R., see MacGregor, A.N., 237
- Lantner, F., see Ram, D., 167
- Le Page, R.W.F., see Sternberg, J., 269
- Lew, A.M., see Sheppard, M., 45
- Ligthart, G.S., see Van Eys, G.J.J.M., 53
- Lottspeich, F., see Heidrich, H.-G., 147
- Luquetti, A.O., see Affranchino, J.L., 221
- MacGregor, A.N. and Kusel, J.R.  
Isolation and characterisation of a surface membrane glycoprotein from adult *Schistosoma mansoni*, 237
- Macina, R.A., see Affranchino, J.L., 221
- Maizels, R.M., see Bradley, J.E., 197
- Markovics, A., see Ram, D., 167
- Masterson, W., see Roditi, I., 35
- McBride, J.S., see Fenton, B., 79
- McDougall, C., see Shiels, B., 209
- Miettinen-Baumann, A., see Heidrich, H.-G., 147
- Morel, C.M., see Esquenazi, D., 253
- Moreno, S.N.J., see Gadelha, F.R., 117
- Mottram, J., see Barnes, D.A., 135
- Murray, M.C. and Perkins, M.E.  
Phosphorylation of erythrocyte membrane and cytoskeleton proteins in cells infected with *Plasmodium falciparum*, 229
- Myint-Oo, see Rangachari, K., 63
- Nash, G.B., see Rangachari, K., 63
- Norden, A.P., see Brindley, P.J., 99
- O'Sullivan, W.J., see Gero, A.M., 87
- Pearson, T.W., see Roditi, I., 35
- Perkins, M.E., see Murray, M.C., 229
- Pettersson, U., see Affranchino, J.L., 221
- Posnett, E.S. and Ambrosio, R.E.  
Repetitive DNA probes for the detection of *Babesia equi*, 75
- Prapunwattana, P., see Kiatfuengfoo, R., 109
- Prince, J.B., Araujo, F.G., Remington, J.S., Burg, J.L., Boothroyd, J.C. and Sharma, S.D.  
Cloning of cDNAs encoding a 28 kilodalton antigen of *Toxoplasma gondii*, 3
- Ram, D., Grossman, Z., Markovics, A., Avivi, A., Ziv, E., Lantner, F. and Schechter, I.  
Rapid changes in the expression of a gene encoding a calcium-binding protein in *Schistosoma mansoni*, 167
- Ramírez Ochoa, J.L., see Galindo, I., 245
- Ranford-Cartwright, L.C., see Sternberg, J., 269
- Rangachari, K., Beaven, G.H., Nash, G.B., Clough, B., Dluzewski, A.R., Myint-Oo, Wilson, R.J.M. and Gratzer, W.B.  
A study of red cell membrane properties in relation to malarial invasion, 63
- Rassi, A., see Affranchino, J.L., 221
- Remington, J.S., see Prince, J.B., 3
- Reyes, M.B., see Affranchino, J.L., 221
- Richardson, J.P., see Roditi, I., 35
- Roditi, I., Dobbelaere, D., Williams, R.O., Masterson, W., Beecroft, R.P., Richardson, J.P. and Pearson, T.W.  
Expression of *Trypanosoma brucei* procyclin as a fusion protein in *Escherichia coli*, 35
- Romans, P., see Sim, B.K.L., 127
- Schechter, I., see Ram, D., 167
- Schoone, G.J., see Van Eys, G.J.J.M., 53
- Scott, H.V., see Gero, A.M., 87
- Selkirk, M., see Barnes, D.A., 135
- Sharma, S.D., see Prince, J.B., 3
- Sheppard, M., Thompson, J.K., Anders, R.F., Kemp, D.J. and Lew, A.M.  
Molecular karyotyping of the rodent malarial *Plasmodium chabaudi*, *Plasmodium berghei* and *Plasmodium vinckei*, 45
- Sher, A., see Brindley, P.J., 99
- Shiels, B., Hall, R., Glascodine, J., McDougall, C., Harrison, C., Taracha, E., Brown, D. and Tait, A.  
Characterization of surface polypeptides on different life-cycle stages of *Theileria annulata*, 209
- Shonekan, O.A., see Hughes, D.E., 155
- Sim, B.K.L., Romans, P. and Harun, S.  
Use of chitinase to facilitate detection of protozoan, helminth and single copy genes in squashed whole mosquitoes, 127
- Simpson, L., see Hughes, D.E., 155
- Sternberg, J., Turner, C.M.R., Wells, J.M., Ranford-Cartwright, L.C., Le Page, R.W.F. and Tait, A.  
Gene exchange in African trypanosomes: frequency and allelic segregation, 269
- Strand, M., see Brindley, P.J., 99
- Suthiphongchai, T., see Kiatfuengfoo, R., 109
- Tait, A., see Shiels, B., 209
- Tait, A., see Sternberg, J., 269
- Taracha, E., see Shiels, B., 209
- Terpstra, W.J., see Van Eys, G.J.J.M., 53
- Thompson, J.K., see Sheppard, M., 45
- Traub-Cseko, Y.M., see Esquenazi, D., 253
- Turner, C.M.R., see Sternberg, J., 269
- Van Eys, G.J.J.M., Schoone, G.J., Ligthart, G.S., Alvar, Evans, D.A. and Terpstra, W.J.  
Identification of 'Old World' *Leishmania* by DNA recombinant probes, 53
- Van der Ploeg, L.H.T., see Gwo-Shu Lee, M., 193
- Walliker, D., see Fenton, B., 79
- Wells, J.M., see Sternberg, J., 269
- Williams, R.O., see Gerhards, J., 15
- Williams, R.O., see Roditi, I., 35
- Wilson, C.F., see Fenton, B., 79
- Wilson, R.J.M., see Rangachari, K., 63
- Yuthavong, Y., see Kiatfuengfoo, R., 109
- Ziv, E., see Ram, D., 167

## Subject Index

- Allelic segregation, 269
- Amino acid repeats, 221
- Amplified DNA, 189
- Antibody, 35
- Antigen, 3, 99, 237
- Antigenic diversity, 79
- Arsenite, 189
  
- Babesia equi*, 75
  
- Calcium-binding protein, 167
- Cercaria-specific protein, 167
- Chagas' disease, 221
- Chemotherapy, 99
- Chitinase, 127
- Chromosomal variant, 177
- Colony growth, 193
- Crithidia fasciculata*, 155
- Crystal violet, 117
- Cultivation, 193
  
- Dihydrofolate reductase-thymidylate synthase, 155
- Dipeptide repeat, 35
- DNA content, 245
- DNA probe, 75, 127
- DNA sequence, 253
- cDNA cloning, 3
- cDNA sequence, 167
- Drug resistance, 189
- Drug/antibody synergy, 99
  
- Electrokaryotype, 245
- Epidemiology of Gambian sleeping sickness, 135
- Equine babesiosis, 75
- Erythrocyte cytoskeleton, 229
- Erythrocyte membrane, 229
  
- Filariasis, 127
- Fusion protein, 35
  
- Gene amplification, 177
- Gene cloning, 221
- Gene location, 245
- Gene organization, 253
- Gene sequence, 167
- Genetic exchange, 269
- Genetics, 177
- Glycoprotein, 237
- Glycoproteins, 79
  
- Heifer, 25
- Hybridization, 193
  
- Identification, 53
- In vitro inhibition, 87
- In vitro translation, 15
  
- Infection plasma, 25
- Infection-associated glycoprotein, 209
  
- Kinetoplast DNA, 269
  
- Leishmania*, 53, 189, 245, 261
- Leishmania major*, 177
- $\lambda$ gt11, 3
  
- Malaria, 45, 127
- Merozoite surface polypeptide, 147
- Methotrexate, 189
- Mini-exon, 155, 177
- Mitochondria, 109
- Mitochondrion, 117
- Molecular karyotyping, 45
- Monoclonal antibody, 79, 209
- Mosquito, 127
  
- N-terminal amino acid sequence of processing fragments, 147
- Naegleria* spp., 281
- Nitrobenzylthioinosine cell permeation, 87
- Nucleoside transport, 87
- Nude mice, 99
  
- Onchocerca gutturosa*, 197
- Onchocerciasis, 197
  
- Parasite peptidase, 25
- Peanut agglutinin, 237
- Phosphorylation, 229
- Plasmid, 281
- Plasmodium berghei*, 45
- Plasmodium chabaudi*, 45
- Plasmodium falciparum*, 79, 87, 109, 147, 229
- Plasmodium falciparum* invasion, 63
- Plasmodium vinckei*, 45
- Ploidy, 177, 245, 261
- Polymorphism, 261
- Praziquantel, 99
- Precursor, 147
- Processing, 147
- Procyclic form, 35
- Procyclin, 35
- Proteolytic cleavage site, 147
- Pulsed field gradient electrophoresis, 45
- Pulsed-field electrophoresis, 177
  
- Radiolabelling, 197
- Recombinant DNA probe, 53
- Red cell membrane rigidity, 63
- Repetitive DNA, 75
- Repetitive sequence, 261
- Restriction fragment pattern, 281
- Rhodamine 123, 109
- Ribosomal RNA, 15

- Ribosomal RNA gene, 281
- RNA sequence complexity, 15
- Schistosoma mansoni*, 167, 237
- Schistosomiasis, 99
- Sequence homology, 253
- Shed antigen, 221
- Southern blotting, 53
- Sporocyst-specific mRNA, 167
- Squash blot, 127
- Surface antigen, 197
- Surface membrane, 237
- Surface polypeptide, 209
- Tandem repeat, 253
- Taxonomy, 281
- Telomeres, 261
- Temporal and geographical stability of VSG genes in *Trypanosoma brucei gambiense*, 135
- Tetracycline, 109
- Theileria annulata*, 209
- Theileria parva*, 15
- Toxoplasma gondii*, 3
- Trans-splicing, 155
- Trypanosoma brucei*, 193, 269
- Trypanosoma brucei gambiense* VSG genes, 135
- Trypanosoma congolense*, 25
- Trypanosoma cruzi*, 117, 221
- Trypanosoma rangeli*, 253
- Trypanosome, 35
- Trypanosome diagnosis and pathology, 25
- Tubercidin, 87
- Tubulin, 253
- Two-dimensional electrophoresis, 79
- Uncoupler, 117





